

L Number	Hits	Search Text	DB	Time stamp
-	1599	(detect\$4 sens\$4) with (water moisture) same glass	USPAT	2004/12/22 13:59
-	721639	capacit\$4	USPAT	2004/12/22 13:55
-	585	((detect\$4 sens\$4) with (water moisture) same glass) and capacit\$4	USPAT	2004/12/22 13:55
-	159091	portable	USPAT	2004/12/22 13:55
-	51	((detect\$4 sens\$4) with (water moisture) same glass) and capacit\$4) and portable	USPAT	2004/12/22 13:56
-	1052	(detect\$4 sens\$4) with water with (presen\$4 exist\$4).ti,ab,clm.	USPAT	2004/12/22 14:00
-	383	capacit\$4 and ((detect\$4 sens\$4) with water with (presen\$4 exist\$4).ti,ab,clm.)	USPAT	2004/12/22 14:01
-	661155	housed housing	USPAT	2004/12/22 14:01
-	177	(capacit\$4 and ((detect\$4 sens\$4) with water with (presen\$4 exist\$4).ti,ab,clm.)) and (housed housing)	USPAT	2004/12/22 14:02
-	562211	glass	USPAT	2004/12/22 14:02
-	32	((capacit\$4 and ((detect\$4 sens\$4) with water with (presen\$4 exist\$4).ti,ab,clm.)) and (housed housing)) and glass	USPAT	2004/12/22 14:36
-	4	((("0689109") or ("0745915") or ("60183896")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/12/22 14:25
-	0	("0689109").PN.	EPO	2004/12/22 14:25
-	0	("0689109").PN.	EPO; DERWENT	2004/12/22 14:25
-	0	60183896.URPN.	USPAT	2004/12/22 14:27
-	2858	324/658-690.ccls.	USPAT	2004/12/22 15:10
-	1	(vias and calibration) and vna	USPAT	2004/12/22 15:30
-	104	(housed housing) and glass and 324/658-690.ccls.	USPAT	2004/12/22 15:30